LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cel	l / battery						
2. Manufacture	er of cell / battery						
Name							
Address							
Phone							
Email							
Website							
3. Test laborato	ory of cell / baltery						
Name							
Address							
Phone							
Email Email							
Website							
4. ID-number a	and date						
Unique test repo	ort identification number			Date of test (report		
DESCRIPTION	N OF CELL / BATTER	Y					
5. Mark the typ	pe of cell/ballery with an	" •"					
Lithium ion cell					Lithium metal cell		
Lithium ion battery				Lithium metal battery			
Lithium I	nybrid baltery					,	
6. Parameters					Cell	Battery	
Mass in gram (g	ŋ):						
Lithium ion: Ind	icate watt-hour rating (Wh)):					
Lithium metal:	Indicate lithium metal cont	ent in gram (g):					
Lithium hubeid:	Lithium hubrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):					g	



LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery	(taken from field 1)

7. Physical description of cell / battery			
0 M. I. I.			
8. Model numbers			
TESTS AND RESULTS			
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation			
T2 - Thermal Test			
T3 - Vibration			
T4 - Shock			
T5 - External Short Circuit			
T6 - Impact / Crush			
T7 - Overcharge			
T8 - Forced Discharge			
10. Reference to assembled battery testing requirements			
			N/A
			14/74
11. Reference to the revised edition of the Manual of Tests and Criteria used and	l to amendmer	nts thereto	

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery	(taken from field 1)

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?		YES	NO	
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh		YES	NO	

Check point 14 – 16 need to be answered when 13 has been ticked "YES":						
14. Does each cell / baltery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?			YES	NO		
15. Is each cell / battery equipped with an effective means of preventing external short circuits?				YES	NO	
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		N/A		YES	NO	

17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries			
State of Charge (SoC) max. 30 %	YES	NO	

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:							
18.a) Only button cells enclosed?					YES	NO	
18.b) Number of enclosed cells (other than button cells)/batteries per equipment					·		
Enclosed cells per equipment Enclosed batteries per equipment							
When the equipment is intentionally active/switched on during transport e.g. data loggers:							
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment N/A YES						NO	
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160		N/A		YES	NO		

19. Place, Date	20. Title, Surname, First name	21. Company stangara signature
		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)

M7 1 € COO